



**8.2 ΣΕΤ ΕΞΑΡΤΗΜΑΤΩΝ ΚΑΡΔΙΟΧΕΙΡΟΥΡΓΙΚΗΣ**

1. Περιγραφή	Κωδικός	Τεμάχια
<p><b>Universal lateral support height adjusta</b> with clamp; to attach to side rails by frontal placement; to attach lateral supports; pad can be individually adjusted; stainless steel; height adjustment: 6 in (150 mm)</p> 	4544719	6
2. Περιγραφή	Κωδικός	Τεμάχια
<p><b>Lateral support 215</b> to attach to lateral supports; pad integrally foamed, electrically conductive, soft and detachable; stainless steel load-bearing structure; pad (LxWxH): 4 in x 8 in x 2 in (100 mm x 215 mm x 50 mm)</p> 	4544721	3

**3.**

**Περιγραφή**

**Lateral support 85**

to attach to lateral supports; for pubis, sacrum and sternum support; pad integrally foamed, electrically conductive, soft and detachable; stainless steel load-bearing structure;  
pad (LxWxH): 3 in x 3 in x 2 in  
(85 mm x 85 mm x 50 mm)



**Κωδικός**


**4544723**

**Τεμάχια**

**6**

**4.**  
Περιγραφή

Κωδικός Τεμάχια


<p><b>Lateral support 215</b> to attach to lateral supports; pad integrally foamed, electrically conductive, soft and detachable; stainless steel load-bearing structure; pad (LxWxH): 4 in x 8 in x 2 in (100 mm x 215 mm x 50 mm)</p> 	<p><b>4544721</b></p>	<p><b>3</b></p>
---	-----------------------	-----------------

# ΠΑΠΑΠΟΣΤΟΛΟΥ


ΚΕΝΤΡΟ ΙΑΤΡΙΚΟΥ ΕΞΟΠΛΙΣΜΟΥ

<b>5.</b> Περιγραφή	<b>Κωδικός</b> 4544723	<b>Τεμάχια</b> 6
	<b>Κωδικός</b> 1238766	<b>Τεμάχια</b> 6

**Lateral support 85**  
to attach to lateral supports; for pubis, sacrum and sternum support; pad integrally foamed, electrically conductive, soft and detachable; stainless steel load-bearing structure;  
pad (LxWxH): 3 in x 3 in x 2 in (85 mm x 85 mm x 50 mm)





**Tunnel pillow**  
for lateral patient positions; protects legs from injuries;  
dimensions (LxWxH): 26 in x 16 in x 9 in (650 mm x 400 mm x 220 mm)  
pad thickness: 3 in (70 mm)






# ΠΑΠΑΠΟΣΤΟΛΟΥ

ΚΕΝΤΡΟ ΙΑΤΡΙΚΟΥ ΕΞΟΠΛΙΣΜΟΥ

Περιγραφή	Κωδικός	Τεμάχια
<p><b>Leg holder GOEPEL</b> without clamp; pad integrally foamed, electrically conductive and soft; stainless steel load-bearing structure</p> 	4544736	6
<p><b>Clamp radial setting</b> to attach to side rails by frontal placement; for heavy loads; 360° adjustment; suitable for rods 0.5 in - 0.7 in (15 mm - 18 mm) in diameter; stainless steel</p> 	1218804	6

8.

Περιγραφή	Κωδικός	Τεμάχια
<p><b>kombiTROLL OPT Accessories</b> equipment cart for positioning and transporting of operating table accessories;</p> <p>1x Chassis version E 1x basic drawer (capacity 10 kg, integrated shelf with 50 kg load capacity) 1x fixed console (max. load 50 kg) 1x basket (stainless steel, (HxWxD) 260x280x570xmm) 1x standard Schine rear (variable height adjustment, max. Carrying capacity 10 kg, L = 375 mm) Reiling 1x 3-sided (max. load 10 kg)</p> <p>width: 630 mm height: 1700 mm</p> <p>standard wheels: Ø 125 mm, antistatic, 2 brakes</p> 	1571397	3

9. Περιγραφή	Κωδικός	Τεμάχια
<p><b>Lateral support 215</b> to attach to lateral supports; pad integrally foamed, electrically conductive, soft and detachable; stainless steel load-bearing structure; pad (LxWxH): 4 in x 8 in x 2 in (100 mm x 215 mm x 50 mm)</p> 	4544721	3
<p><b>Universal lateral support height adjusta</b> with clamp; to attach to side rails by frontal placement; to attach lateral supports; pad can be individually adjusted; stainless steel; height adjustment: 6 in (150 mm)</p> 	4544719	3

**10.**

**Περιγραφή**

**Pad semi circular shaped 250**

viscous elastic, semi circular shaped pad for positioning of the knee in supine position; pad for decubitus prophylaxis; resistant to disinfectants; dimensions (LxWxH): 10 in x 8 in x 4 in (250 mm x 200 mm x 100 mm)  
colour: green



**Κωδικός**

**1708573**

**Τεμάχια**

**6**




11.

Περιγραφή

**Pelvis support**

with clamp; for lateral positioning; pads can be adjusted to pelvis width; pads integrally foamed, electrically conductive, soft and detachable; stainless steel load-bearing structure; pad (LxWxH): 3 in x 3 in x 2 in (85 mm x 85 mm x 50 mm)



Κωδικός

4544773

Τεμάχια

1